



UC199

OPTIONAL FEEDER UNIT

Code D741756ZB



OPTIONAL – Code D741756ZB




Automatic Feeder Unit - **Plus**

- Operates without compressed air.
- **Special powered clamp** to automatically secure the key to be cut; interchangeable with the basic four-sided clamp.
- **Automatic** detection of special clamp for the automatic feeder.
- **Cutting data storage**: when the original key has been read, the machine stores the data in its memory so that any number of copies can be made.



OPTIONAL – Code D741756ZB



Automatic Feeder Unit - **Plus**



- Automatic removal device for single keys.
- Mechanical slide for automatic collection of the cut keys.
- The Automatic Feeder Unit ensures key stop position in the special clamp.



OPTIONAL – Code D741756ZB

Automatic Feeder Unit - **Plus**

- Key stacker for 20 to 30 keys (max.), adjustable according to key dimensions.





www.silca.biz

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company has its headquarters, with express exclusion of any other court.